


LeiLOX

1.5/2.0 Locking System





1.5/2.0 Locking System

by RITA LEIBINGER



Easy Locking Mechanism

All-in-One Set

Optimized Titanium (64LMGR5-Ti)

Osteosynthesis Locking Set 1.5/2.0

Osteosynthesis Locking Set 1.5/2.0

142-1520-00



Produkt Code	Beschreibung	Menge
142-1520-10	Steri Gitter Box mit Propylux Einlage/mit Deckel	1,00
142-0215-04	1.5 Bone Plate Locking, 4 Hole, Titanium	1,00
142-0215-05	1.5 Bone Plate Locking, 5 Hole, Titanium	1,00
142-0215-06	1.5 Bone Plate Locking, 6 Hole, Titanium	1,00
142-0215-07	1.5 Bone Plate Locking, 7 Hole, Titanium	1,00
142-0215-08	1.5 Bone Plate Locking, 8 Hole, Titanium	1,00
142-0215-09	1.5 Bone Plate Locking, 9 Hole, Titanium	1,00
142-0215-10	1.5 Bone Plate Locking, 10 Hole, Titanium	1,00
142-0215-614	1.5 Titan Bone Plate Locking, 4 Hole, 14 mm Bridge, Titanium	1,00
142-0215-621	1.5 Titan Bone Plate Locking, 6 Hole, 21 mm Bridge, Titanium	1,00
142-0215-635	1.5 Titan Bone Plate Locking, 6 Hole, 35 mm Bridge, Titanium	1,00
142-0215-20	1.5 Titan Bone Plate, 20 Hole, Titanium	1,00
142-0215-504R	1.5 Titan L-Bone-Plate, 5 Hole, right, Titanium	1,00
142-0215-504L	1.5 Titan L-Bone-Plate, 5 Hole, left, Titanium	1,00
142-0215-805	1.5 Titan Y-Bone-Plate, 5 Hole, Titanium	1,00
245-415-05	Locking Screw 1.5mm x 5mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-06	Locking Screw 1.5mm x 6mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-07	Locking Screw 1.5mm x 7mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-08	Locking Screw 1.5mm x 8mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-09	Locking Screw 1.5mm x 9mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-10	Locking Screw 1.5mm x 10mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-11	Locking Screw 1.5mm x 11mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00

245-415-12	Locking Screw 1.5mm x 12mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-14	Locking Screw 1.5mm x 14mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-16	Locking Screw 1.5mm x 16mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-18	Locking Screw 1.5mm x 18mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-20	Locking Screw 1.5mm x 20mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-22	Locking Screw 1.5mm x 22mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
245-415-24	Locking Screw 1.5mm x 24mm, Titanium, self tapping, Fat-Neck, star drive 6	5,00
142-0220-04	2.0 Locking Plate mit 4 Hole, Titanium	1,00
142-0220-05	2.0 Locking Plate mit 5 Hole, Titanium	1,00
142-0220-06	2.0 Locking Plate mit 6 Hole, Titanium	1,00
142-0220-07	2.0 Locking Plate mit 7 Hole, Titanium	1,00
142-0220-08	2.0 Locking Plate mit 8 Hole, Titanium	1,00
142-0220-09	2.0 Locking Plate mit 9 Hole, Titanium	1,00
142-0220-10	2.0 Locking Plate mit 10 Hole, Titanium	1,00
142-0220-618	2.0 Locking Plate, 4 Hole, 18 mm Steg, Titanium	1,00
142-0220-627	2.0 Locking Plate, 6 Hole, 27 mm Steg, Titanium	1,00
142-0220-636	2.0 Locking Plate, 6 Hole, 36 mm Steg, Titanium	1,00
142-0220-20	2.0 Locking Plate, 20 Hole, Titanium	1,00
142-0220-504R	2.0 L-Locking-Plate, 5 Hole, right, Titanium	1,00
142-0220-504L	2.0 L-Locking-Plate, 5 Hole, left, Titanium	1,00
142-0220-805	2.0 Y-Locking-Plate mit 5 Hole, Titanium	1,00
245-420-05	Locking Screw 2.0mm x 5mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-06	Locking Screw 2.0mm x 6mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-07	Locking Screw 2.0mm x 7mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-08	Locking Screw 2.0mm x 8mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-09	Locking Screw 2.0mm x 9mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-10	Locking Screw 2.0mm x 10mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-11	Locking Screw 2.0mm x 11mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-12	Locking Screw 2.0mm x 12mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-14	Locking Screw 2.0mm x 14mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-16	Locking Screw 2.0mm x 16mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-18	Locking Screw 2.0mm x 18mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-20	Locking Screw 2.0mm x 20mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-22	Locking Screw 2.0mm x 22mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-24	Locking Screw 2.0mm x 24mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-26	Locking Screw 2.0mm x 26mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-28	Locking Screw 2.0mm x 28mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
245-420-30	Locking Screw 2.0mm x 30mm, self tapping, Fat-Neck, star drive 8, Titanium	5,00
128-1520-15	star drive 6 Screwdriver shaft, with AO connection, self-holding, for 1.5mm screws	1,00
128-1520-20	star drive 8 Screwdriver shaft, with AO connection, self-holding, for 2.0mm screws	1,00
247-0103-00	Screwdriver Handle Silicone, straight, AO, sterilizable up to 134°C, #17	1,00
164-0015-00	Locking Drill Guide 1.5, for 1.1mm Drill, for 1.5mm screws, Hole 1.2mm, 20mm long	2,00
164-0020-00	Locking Drill Guide 2.0, for 1.5mm Drill, for 2.0mm screws, Hole 1.6mm, 20mm long	2,00
164-1520-20	Depth Gauge, 150mm, 40mm, 1,5/20 Screws, Scale up to 40 mm	1,00
148-0180-11	Twist Drill, straight shank, 127 mm, 1,5mm, flute length 22 mm	1,00
148-0180-15	Twist Drill, straight shank, 127 mm, 1,5mm, flute length 22 mm	1,00
148-0181-11	Twist Drill Bone AO shaft, Ø 1.1mm, 85mm x 60mm	1,00
148-0181-15	Twist Drill, AO-quick coupling, Ø 1.5mm x 110mm x 85mm	1,00
128-0881-15	Bending Iron AO type, 1,5/2,0, 130mm, Pair, wide	1,00

Locking Plates 1.5

1.5 Locking Plate Titanium

4.5mm broad, 1.5mm thick



Product Code	Description
142-0215-04	4-Hole, 25.5mm
142-0215-05	5-Hole, 32.5mm
142-0215-06	6-Hole, 39.5mm
142-0215-07	7-Hole, 46.5mm
142-0215-08	8-Hole, 53.5mm
142-0215-09	9-Hole, 60.5mm
142-0215-10	10-Hole, 67.5mm
142-0215-20	20-Hole, cuttable

1.5 Locking Plate with Bridge, Titanium

4.5mm broad, 1.5mm thick



Product Code	Description
142-0215-614	14mm Bridge, 4-Hole, 32.5mm
142-0215-621	21mm Bridge, 6-Hole, 53.5mm
142-0215-635	35mm Bridge, 6-Hole, 67.5mm

1.5 Locking-L-Plate Titanium

4.5mm broad, 1.5mm thick, 25.5 x 11.5mm length

left

142-0215-504L

right

142-0215-504R



1.5 Locking-Y-Plate Titanium

4.5mm & 11mm broad, 1.5mm thick, 33mm length

142-0215-805



Locking Screw 1.5 mm Titanium

self tapping, Fat-Neck, star drive 6



Length	Product Code
5 mm	245-415-05
6 mm	245-415-06
7 mm	245-415-07
8 mm	245-415-08
9 mm	245-415-09
10 mm	245-415-10
11 mm	245-415-11
12 mm	245-415-12

Length	Product Code
14 mm	245-415-14
16 mm	245-415-16
18 mm	245-415-18
20 mm	245-415-20
22 mm	245-415-22
24 mm	245-415-24
26 mm	245-415-26

2.0 Locking Plate Titanium

6mm broad, 1.5mm thick



Produkt Code	Beschreibung
142-0220-04	4-Hole, 33mm
142-0220-05	5-Hole, 42mm
142-0220-06	6-Hole, 51mm
142-0220-07	7-Hole, 60mm
142-0220-08	8-Hole, 69mm
142-0220-09	9-Hole, 78mm
142-0220-10	10-Hole, 87mm
142-0220-20	20-Hole, cuttable

2.0 Locking Plate with Bridge, Titanium

6mm broad, 1.5mm thick



Product Code	Description
142-0220-618	18mm Bridge, 4-Hole, 42mm
142-0220-627	27mm Bridge, 6-Hole, 69mm
142-0220-636	36mm Bridge, 6-Hole, 78mm

2.0 Locking-L-Plate Titanium

6mm broad, 1.5mm thick, 33 x 15mm length

left **142-0220-504L**



right **142-0220-504R**



2.0 Locking-Y-Plate Titanium


6mm & 13.5mm broad, 1.5mm thick, 42mm length

142-0220-805



Locking Screw 2.0 mm Titanium

self tapping, Fat-Neck, star drive 8



Length	Product Code
5 mm	245-420-05
6 mm	245-420-06
7 mm	245-420-07
8 mm	245-420-08
9 mm	245-420-09
10 mm	245-420-10
11 mm	245-420-11
12 mm	245-420-12

Length	Product Code
14 mm	245-420-14
16 mm	245-420-16
18 mm	245-420-18
20 mm	245-420-20
22 mm	245-420-22
24 mm	245-420-24
26 mm	245-420-26
28 mm	245-420-28
30mm	245-420-30

Locking Drill Guides

Bone Drills



Ø (mm)	Length (mm)	Connection	Product Code
1.1	85	Round Shaft	148-0180-11
1.5	127	Round Shaft	148-0180-15
1.1	85	AO Shaft	148-0181-11
1.5	110	AO Shaft	148-0181-15

Depth Gauge

Scala up to 40 mm, for 1.5/2.0 Screws

164-1520-20



Screwdriver Shaft star drive

AO connection, self-holding



star drive 6,
for 1.5 mm Screws

128-1520-15



star drive 8,
for 2.0 mm Screws

128-1520-20



Screwdriver Handle

Silicone, straight, AO-connection
sterilizable up to 134°C

247-0103-00



Locking Drill Guide

20 mm lang



1.5 - for 1.5 mm Screws, 1.1 mm Drill	164-0015-00
2.0 - for 2.0 mm Screws, 1.5 mm Drill	164-0020-00

Bending Iron AO Type 1.5/2.0

130 mm, Pair

128-0881-15



